

15" 投射電容式多點觸控螢幕

產品應用：

- 銷售點管理系統 (POS)
- 工業電腦 (IPC)
- 公共資訊站 (KIOSK)
- 遊戲機 (GAMING)
- 醫療設備
- 隨身電腦
- 全球定位系統 (GPS)
- 辦公室自動化
- 家居安全系統
- 車載娛樂
- 軍事設備
- 溝通資訊



AIM-TMPCTU150-V07





AIM-TMPCTU150-V W07

訂購資訊：

觸控界面：

固定方式：

AIM-TMPCTU150-G07 N (黑色)	USB (多點*10)	無底座 VESA 孔固定
AIM-TMPCTU150-GW07 N (白色)	USB (多點*10)	無底座 VESA 孔固定
AIM-TMPCTU150-G07 (黑色)	USB (多點*10)	摺疊底座 1.4kg
AIM-TMPCTU150-P07 (黑色)	USB (多點*10)	相框底座 1kg
AIM-TMPCTU150-V07 (黑色)	USB (多點*10)	立型底座 1.2kg
AIM-TMPCTU150-V W07 (白色)	USB (多點*10)	立型底座 1.2kg



15" 投射電容式多點觸控螢幕

顯示器規格：

顯示面積	304 × 228 mm
點距	0.297 × 0.297 mm
亮度	300 cd/m ²
對比度	2000 : 1
解析度(邏輯像素)	1024 x 768 (XGA)
可視角度	左右 176° ; 上下 176°
反應時間	23ms (Tr+ Tf)
液晶色彩	16.2M
支援解析度	640×480 ; 800×600 ; 1024×768
信號輸入	VGA ; Audio ; Display Port ; HDMI
音效	1W (8Ω) × 1
OSD 控制功能	◎功能選單/選擇◎ - ◎+ ◎自動調整/離開◎電源
電源輸入、消耗功率	DC 12V ; ≤14w (DC Jack Φ2.1mm)
儲存、操作溫度	-30~70°C ; -20~70°C
壁掛孔位	75×75 mm
外觀顏色	黑色 (白色)
尺寸、淨重	347 × 276 × 45.2 mm ; 2.7 kg (W×H×D) (不含底座)
外箱尺寸、總重	410 × 420 × 140 mm ; 4.2 kg (W×H×D)
配件包	VGA 線 / HDMI 線 / 音源線 / AC100~240V 變壓器 / 電源線 / USB 觸控線 / 高級擦拭布 / 驅動光碟 ※DP 線 (選購)

※規格若有異動，恕不另行通知，依出貨實機為主！



AIM-TMPCTU150-G07



AIM-TMPCTU150-P07



15" 投射電容式多點觸控螢幕

觸控特色：

操作方式	使用電容式觸控筆、手指
線性誤差	≤2.5mm
表面硬度	≥7H
使用壽命	無限制
應用範圍	適合點控、書寫、簽名捕捉

軟體特色：

繪圖測試	測試觸控點位置與線性表現
控制器設定	支援多作業系統
語言介面	繁中、簡中、英、日、法、德、韓、俄、泰、捷克、丹麥、荷蘭、芬蘭、希臘、波蘭、瑞典、西班牙、阿拉伯、匈牙利、義大利、挪威文、葡萄牙、土耳其、斯洛維尼亞
滑鼠模擬	手動滑鼠左右鍵、自動滑鼠左右鍵 (PDA 功能)
觸控模式	繪圖模式、按鍵模式、關閉觸控功能選項
雙觸擊設定	可調整雙擊速度、可調整雙擊區域面積大小
發聲設定	無聲模式、觸控時發聲模式、觸控離開時發聲模式
顯示器設定	支援顯示器旋轉、支援多重顯示器、支援顯示器分割
區域設定	支援二分割及四分割畫面觸控、支援自定義活動區域觸控
邊緣補償	支援多方向觸控補償及自定義補償參數。
驅動程式	支援全系列 Windows-32/64 位元 作業系統 支援 Android ; 支援 Linux ; 支援 MAC



AIM-TMPCTU150-V07



3 Year Warranty
LCD Panel 1 Year

15" Projected capacitive Multi-Touch Monitor

Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



AIM-TMPCTU150-V07





AIM-TMPCTU150-V W07

Order information :

Touch interface :

Mount type :

AIM-TMPCTU150-G07 N (Black)	USB (Multi-Touch*10)	VESA (Without Stand)
AIM-TMPCTU150-GW07 N (White)	USB (Multi-Touch*10)	VESA (Without Stand)
AIM-TMPCTU150-G07 (Black)	USB (Multi-Touch*10)	Foldable Stand (1.4kg)
AIM-TMPCTU150-P07 (Black)	USB (Multi-Touch*10)	Photo Stand (1kg)
AIM-TMPCTU150-V07 (Black)	USB (Multi-Touch*10)	POS Stand (1.2kg)
AIM-TMPCTU150-V W07 (White)	USB (Multi-Touch*10)	POS Stand (1.2kg)



15" Projected capacitive Multi-Touch Monitor

Display Specifications :

Active Area	304 × 228 mm
Pixel Pitch	0.297 × 0.297 mm
Brightness	300 cd/m ²
Contrast Ratio	2000 : 1
Resolution	1024 × 768 (XGA)
Viewing Angle	L/R176° ; U/D176°
Response Time	23ms (Tr + Tf)
Display Colors	16.2M
Display Modes	640×480 ; 800×600 ; 1024×768
Signal input	VGA ; Audio ; Display Port ; HDMI
Speaker	1W (8Ω) × 1
OSD Keyboard	⊙Power ⊙Auto adjust ⊕ ⊖ ⊙Menu
Power Source	DC 12V (DC Jack Φ2.1mm)
Power Consumption	≤14w
Storage · Operation	-30~70°C ; -20~70°C
VESA	75×75 mm
Casing Colors	Black (White)
Casing Size · Weight	347 × 276 × 45.2 mm ; 2.7 kg (W×H×D) (Without Stand)
Carton · gross weight	410 × 420 × 140 mm ; 4.2 kg (W×H×D)
Accessory	VGA cable / HDMI cable / Audio cable / AC100~240V Adapter / Power cable / USB cable / Cleaning wipes / Driver Disk

※DP cable (Optional)

※AiM Touch has the right to update specs without further notice.



AIM-TMPCTU150-G07



AIM-TMPCTU150-P07



15" Projected capacitive Multi-Touch Monitor

Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤2.5mm
Surface	≥7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability

Software Feature :




Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English · Simple Chinese · Traditional Chinese · Japanese · French · German · Spanish · Korean · Arabic · Czech · Danish · Dutch · Greek · Hungarian · Italian · Norwegian · Russian · Polish · Portuguese · Slovenian · Swedish · Thai · Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click (PDA function)
Touch Style	Drawing a Mode · button a Mode · Touch Off/ on Switch
Double Click	Configurable double click speed · Configurable double click area
Sound Modes	No sound · Touch down · Touch up
Display Support	display rotation · Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	
Edge compensation	Support edge compensation and you can also add your own numbers for it.
Support O.S	All Windows-32/64bit O.S Android ; Linux ; MAC



AIM-TMPCTU150-V07










3 Year Warranty
LCD Panel 1 Year










15" Touch Monitor.
(VESA Mount)

AIM-TMxxxx150-G07 N










15" Desktop Touch Monitor.
(Folding Stand)

AIM-TMxxx150-G07



15" Desktop Touch Monitor.
(Photo Stand)

AIM-TMxxx150-P07



15" Desktop Touch Monitor.
(POS Stand)

AIM-TMxxxx150-V07